SAFETY DATA SHEET



Techspray Zero Charge Hand Lotion

Section 1. Identification

Product identifier : Techspray Zero Charge Hand Lotion

Product code : 1702-8FP

Other means of : Antistatic agent

identification Industrial/Professional use

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Processing aid Antistatic agent

Uses advised against

Not applicable.

Supplier's details : Manufacturer

Techspray

8125 Cobb Center Drive Kennesaw, GA 30152 Tel: 678-819-1408 Toll free: 1-800-858-4043 Fax: 1 806-372-8750

Distributor

EMX Enterprises LTD 250 Granton Drive Richmond Hill, ONT Canada L4B 1H7 905-764-0040

Emergency telephone

number (with hours of

operation)

Chemtrec - 1-800-424-9300

CANUTEC (Canadian Transportation): (613) 996-6666

Emergency phone: (800) 858-4043

Section 2. Hazard identification

Classification of the substance or mixture

: Not classified.

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 1/12

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Antistatic agent

Industrial/Professional use

| Ingredient name | Synonyms | % (w/w) | CAS number |
|---------------------------|--|---------|------------|
| Stearic acid | Octadecanoic acid; stearic acid, pure; stearic acid, crude; E 570; octadecanoic acid; C18 FATTY ACID; STEARIC ACID 95%; STEARIC ACID 42.5%; STEARIC ACID 37.5%; Cetylacetic acid; 1-Heptadecanecarboxylic acid; n-Octadecanoic acid | ≥1 - ≤5 | 57-11-4 |
| 2,2',2"-nitrilotriethanol | Ethanol, 2,2',2"-nitrilotris-; TRIETHANOLAMINE; 2,2',2"- Trihydroxyethylamine; Tris (2-hydroxyethyl)amine; trolamine; Ethanol, 2,2',2"-nitrilotri-; ETHANOL, 2,2',2"-NITRILOTRIS-; TRIS(BETA- HYDROXYETHYL)AMINE; NITRILOTRIETHANOL; 2,2',2"- NITRILOTRIS(ETHANOL); Trihydroxytriethylamine | ≥1 - ≤5 | 102-71-6 |
| glycerol | 1,2,3-Propanetriol; glycerin; Glycerin (mist); Trihydroxypropane; Glycyl alcohol; Glycerin anhydrous; Glycerin mist; glycerol, crude; glycerine, crude; glycerine; E 422; glycerin; propane-1,2,3-triol | ≥1 - ≤5 | 56-81-5 |
| Stearyl alcohol | 1-Octadecanol; STEARYL ALCOHOL; stearyl alcohol, crude; STEARIC ALCOHOL; 1-Hydroxyoctadecane; FATTY ALCOHOL(C18); C18 ALCOHOL; Octadecyl alcohol; ALCOHOL(C18); n-Octadecanol; Octadecanol | ≥1 - ≤5 | 112-92-5 |
| propane-1,2-diol | 1,2-Propanediol; 1,2-Propylene glycol; PROPYLENE GLYCOL; Propane-1,2 diol; α-propylene glycol; propylene glycol; E 1520; 1,2-dihydroxypropane; METHYLETHYLENE GLYCOL; ALPHA-PROPYLENE GLYCOL; ISOPROPYLENE GLYCOL; 2-Hydroxypropanol; Methylethyl glycol | ≥1 - ≤5 | 57-55-6 |

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 2/12

Section 4. First-aid measures

Description of necessary first aid measures

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower Eye contact

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

> Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be

kept under medical surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact : May cause eye irritation.

Inhalation : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards.

: Do not ingest. If swallowed then seek immediate medical assistance. Ingestion

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

> irritation redness watering

Inhalation : No specific data. : No specific data. Skin contact

Ingestion Adverse symptoms may include the following:

Ingestion Seek medical attention.

Indication of immediate medical attention and special treatment needed, if necessary

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

: Use an extinguishing agent suitable for the surrounding fire.

media

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products : In a fire or if heated, a pressure increase will occur and the container may burst.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Date of issue/Date of revision : 5/3/2024 3/12 Version Date of previous issue : No previous validation

Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------|---|
| Stearic acid | CA Ontario Provincial (Canada, 6/2019). TWA: 10 mg/m³ 8 hours. Form: Inhalable particulate matter. TWA: 3 mg/m³ 8 hours. Form: Respirable particulate matter. CA British Columbia Provincial (Canada, 1/2020). TWA: 10 mg/m³ 8 hours. |
| 2,2',2"-nitrilotriethanol | CA Alberta Provincial (Canada, 6/2018). Skin sensitizer. 8 hrs OEL: 5 mg/m³ 8 hours. CA British Columbia Provincial (Canada, 1/2020). TWA: 5 mg/m³ 8 hours. CA Ontario Provincial (Canada, 6/2019). TWA: 3.1 mg/m³ 8 hours. |
| glycerol | TWA: 0.5 ppm 8 hours. CA Quebec Provincial (Canada, 7/2019). Skin sensitizer. TWAEV: 5 mg/m³ 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 10 mg/m³ 15 minutes. TWA: 5 mg/m³ 8 hours. CA Alberta Provincial (Canada, 6/2018). Skin sensitizer. 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist |
| | CA Quebec Provincial (Canada, 6/2022). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 6/2022). TWA: 3 mg/m³ 8 hours. Form: respirable |
| propane-1,2-diol | mist TWA: 10 mg/m³ 8 hours. Form: total mist CA Ontario Provincial (Canada, 6/2019). TWA: 10 mg/m³ 8 hours. Form: Aerosol only. TWA: 155 mg/m³ 8 hours. Form: Vapour fraction. TWA: 50 ppm 8 hours. Form: Vapour fraction. |

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 5/12

Section 8. Exposure controls/personal protection

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid. [Viscous liquid.]

Color : White.

Odor : Pleasant.

Odor threshold : Not available.

pH : 7.2

Melting point/freezing point : 0°C (32°F) **Boiling point, initial boiling** : 100°C (212°F)

point, and boiling range

Flash point

| | | Closed cup | | | Ope | n cup |
|---------------------------|--------|------------|-----------|-----|-------|-----------|
| Ingredient name | °C | °F | Method | °C | °F | Method |
| propane-1,2-diol | 99 | 210.2 | | | | |
| isopropyl myristate | >93 | >199.4 | | | | |
| Cetyl alcohol | 149 | 300.2 | ASTM D 93 | | | |
| glycerol | | | | 177 | 350.6 | |
| 2,2',2"-nitrilotriethanol | 185 | 365 | | | | |
| retinyl palmitate | 194 | 381.2 | ISO 2719 | | | |
| Stearyl alcohol | 195 | 383 | ASTM D 93 | | | |
| Stearic acid | 196.06 | 384.9 | | 200 | 392 | ASTM D 92 |

Flammability : Not available.

 Date of issue/Date of revision
 : 5/3/2024
 Date of previous issue
 : No previous validation
 Version
 : 1
 6/12

Section 9. Physical and chemical properties and safety characteristics

Lower and upper explosion limit/flammability limit

: Not available.

Vapor pressure

| | Va | por Pressure | e at 20°C | Vapor pressure at | | e at 50°C |
|--|----------|--------------|-----------|-------------------|-----|-----------|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| water | 17.5 | 2.3 | | | | |
| 1-[1,3-bis(hydroxymethyl) -2,5-dioxoimidazolidin-4-yl]-1,3-bis (hydroxymethyl)urea | 0.22 | 0.029 | | | | |
| propane-1,2-diol | 0.15 | 0.02 | EU A.4 | | | |
| 2,2',2"-nitrilotriethanol | <0.01 | <0.0013 | | | | |
| glycerol | 0.000075 | 0.00001 | | 0 | 0 | |
| isopropyl myristate | 0 | 0 | | | | |
| retinyl palmitate | 0 | 0 | | | | |
| propyl 4-hydroxybenzoate | 0 | 0 | | 0 | 0 | |

Relative vapor density : Not available.

Relative density

: Not available. Solubility in water Partition coefficient: n-: Not applicable.

Auto-ignition temperature

octanol/water

| Ingredient name | °C | °F N | ethod |
|---------------------------|------|--------|------------|
| isopropyl myristate | 225 | 437 | EU A.15 |
| Stearyl alcohol | 269 | 516.2 | ASTM E 659 |
| Cetyl alcohol | 272 | 521.6 | ASTM E 659 |
| 2,2',2"-nitrilotriethanol | 324 | 615.2 | |
| glycerol | 370 | 698 | |
| propane-1,2-diol | 371 | 699.8 | |
| Stearic acid | 400 | 752 | |
| methyl 4-hydroxybenzoate | >403 | >757.4 | |

Decomposition temperature: Not available. **Viscosity** : Not available.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Date of issue/Date of revision : 5/3/2024 7/12 Date of previous issue : No previous validation Version: 1

Section 10. Stability and reactivity

Incompatible materials : No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---------------------------|-------------|---------|-------------|----------|
| Stearic acid | LD50 Dermal | Rabbit | >5 g/kg | - |
| | LD50 Oral | Rat | 4600 mg/kg | - |
| 2,2',2"-nitrilotriethanol | LD50 Oral | Rat | 7.39 g/kg | - |
| glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Stearyl alcohol | LD50 Oral | Rat | >5000 mg/kg | - |
| propane-1,2-diol | LD50 Dermal | Rabbit | 20800 mg/kg | - |
| | LD50 Oral | Rat | 20 g/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---------------------------|--------------------------|----------|-------|-------------------|-------------|
| Stearic acid | Skin - Mild irritant | Human | - | 72 hours 75 | - |
| | | | | mg I | |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 | - |
| | | | | mg | |
| 2,2',2"-nitrilotriethanol | Eyes - Mild irritant | Rabbit | - | 10 mg | - |
| | Eyes - Severe irritant | Rabbit | - | 20 mg | - |
| | Skin - Mild irritant | Human | - | 72 hours 15 | - |
| | | | | mg I | |
| | Skin - Mild irritant | Rabbit | - | 24 hours 560 | - |
| | | | | mg | |
| | Skin - Severe irritant | Mouse | - | 50 % | - |
| glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | 0 | D 11.7 | | mg | |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 | - |
| Ct- and alaskal | Free Milel imitees | D-1-1-14 | | mg | |
| Stearyl alcohol | Eyes - Mild irritant | Rabbit | - | 24 hours 100 | - |
| | Skin - Mild irritant | Man | | mg 48 hours 30 | |
| | Skiii - Willa IIIItalit | IVIAIT | - | % | - |
| | Skin - Mild irritant | Rabbit | | 24 hours 500 | |
| | Skiii - Willd II Italit | INADDIL | [| mg | - |
| propane-1,2-diol | Eyes - Mild irritant | Rabbit | | 100 mg | _ |
| propune 1,2 diei | Eyes - Mild irritant | Rabbit | | 24 hours 500 | _ |
| | Lyes Willa IIIItalit | Rabbit | | mg | |
| | Skin - Mild irritant | Human | _ | 168 hours | _ |
| | | | | 500 mg | |
| | Skin - Mild irritant | Woman | _ | 96 hours 30 | _ |
| | | | | % | |
| | Skin - Moderate irritant | Child | _ | 96 hours 30 | - |
| | | | | % C | |
| | Skin - Moderate irritant | Human | - | 72 hours 104 | - |
| | | | | mg I | |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 8/12

Section 11. Toxicological information

Classification

| Product/ingredient name | IARC | NTP | ACGIH |
|---------------------------|------|-----|-------|
| Stearic acid | - | - | A4 |
| 2,2',2"-nitrilotriethanol | 3 | - | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact : May cause eye irritation.

Inhalation : No known significant effects or critical hazards.Skin contact : No known significant effects or critical hazards.

Ingestion: Do not ingest. If swallowed then seek immediate medical assistance.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

irritation redness watering

Inhalation: No specific data.Skin contact: No specific data.

Ingestion : Adverse symptoms may include the following:

Ingestion Seek medical attention.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No known significant effects or critical hazards.

Date of issue/Date of revision: 5/3/2024Date of previous issue: No previous validationVersion: 19/12

Section 11. Toxicological information

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---------------------------|------------------|-------------------|--------------------------------|----------------------------------|--|
| Stearic acid | 4600 | N/A | N/A | N/A | N/A |
| 2,2',2"-nitrilotriethanol | 7390 | N/A | N/A | N/A | N/A |
| glycerol | 12600 | N/A | N/A | N/A | N/A |
| propane-1,2-diol | 20000 | 20800 | N/A | N/A | N/A |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---------------------------|---|--|----------------------|
| 2,2',2"-nitrilotriethanol | Acute EC50 609.98 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 11800000 μg/l Fresh water Chronic NOEC 16000 μg/l Fresh water | Fish - <i>Pimephales promelas</i> Daphnia - <i>Daphnia magna</i> | 96 hours 21 days |
| propane-1,2-diol | Acute EC50 >110 ppm Fresh water Acute LC50 1020000 μg/l Fresh water | Daphnia - <i>Daphnia magna</i> Crustaceans - <i>Ceriodaphnia</i> dubia | 48 hours 48 hours |
| | Acute LC50 710000 μg/l Fresh water | Fish - Pimephales promelas | 96 hours |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|---------------------------|--------|------------|-----------|
| Stearic acid | 8.23 | 238 to 288 | Low |
| 2,2',2"-nitrilotriethanol | -1 | <3.9 | Low |
| glycerol | -1.76 | - | Low |
| Stearyl alcohol | 7.4 | - | High |
| propane-1,2-diol | -1.07 | - | Low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 10/12

Section 13. Disposal considerations

with soil, waterways, drains and sewers.

Section 14. Transport information

| | TDG Classification | DOT Classification | IMDG | IATA |
|----------------------------|--------------------|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according: Not available.

to IMO instruments

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

| List name | Ingredient name | Status |
|--------------|-----------------|--------|
| Schedule III | Triethanolamine | Listed |

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Japan

Australia : All components are listed or exempted. Canada : All components are listed or exempted. China : All components are listed or exempted.

Eurasian Economic Union : Russian Federation inventory: Not determined.

Japan inventory (CSCL): Not determined.

Japan inventory (ISHL): Not determined.

: All components are listed or exempted. **New Zealand**

11/12 Date of issue/Date of revision : 5/3/2024 Date of previous issue Version: 1 : No previous validation

Section 15. Regulatory information

Philippines : All components are listed or exempted.

Republic of Korea : Not determined.
Taiwan : Not determined.
Thailand : Not determined.
Turkey : Not determined.
United States : Not determined.
Viet Nam : Not determined.

Section 16. Other information

History

Date of printing : 5/3/2024 Date of issue/Date of : 5/3/2024

revision

Date of previous issue : No previous validation

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HPR = Hazardous Products Regulations IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Not classified.

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 5/3/2024 Date of previous issue : No previous validation Version : 1 12/12